

MINUTES OF REDRESSAL COMMITTEE MEETING FOR REDRESSAL OF GRIEVANCES OF DIFFERENT FIRMS AGAINST TENDER OF DRESSING ITEMS FOR THE FINANCIAL YEAR 2024-25 HELD ON 08-07-2024 AT 10:00 AM IN THE MEETING ROOM PURCHASE CELL QUAID-E-AZAM MEDICAL COLLEGE B.V.HOSPITAL, BAHAWALPUR.

Presentations of the different firms were discussed as per agenda & decisions were made accordingly.

| Sr No. | Name of Firm | C.S Items # | Decision of TAC | Grievances | Decision |
|--------|-----------------------|---|---|---|---|
| 01 | M/S Tech Zone, Lahore | <p>Item No. 04 Adhesive Plaster (Zinc Oxide)</p> <p>Item No. 21. Transparent Polyurethane Dressing 10x14cm</p> <p>Item No. 25 Adhesive wound dressing 45cm x 60cm (Opsite)</p> <p>Item No. 26 Transpore sticking for angio 3M</p> | <p>Non responsive due to sample rejected by end user. (Poor Adhesion)</p> <p>Non responsive due to sample rejected</p> <p>Non responsive due to sample rejected. (Not Acc to Spec)</p> <p>Non responsive due to sample rejected. (Poor Quality)</p> | <p>The firm submitted grievance & requested for re-evaluate the sample.</p> <p>The firm grievance that other firm M/S Mughees Medicine, M/S Saru Traders, M/S Eassity Pakistan declared responsive, but quoted item out of specification, the demanded specification size 45x60cm, but above mentioned bidders have quoted 45x55cm.</p> | <p>The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 04, 21, 25 & 26.</p> |

| Sr No. | Name of Firm | C.S Items # | Decision of TAC | Grievances | Decision |
|--------|--|--|--|--|---|
| 02 | M/S Clifton Enterprises, Lahore | Item No. 14 & 15 Paper Adhesive Tape (Medical Use) 1" & 2" to 4.5 meter | Non responsive due to sample rejected by end user. | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. The committee has rechecked the sample & approved it. Hence the committee declared the firm responsive for item No. 14 & 15. |
| 03 | M/S Arson Pharmaceutical Industries, Lahore | Item No. 03 Absorbent Gauze (BPC) Cloth | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 03. |
| | | Item No. 10 Crepe Bandage 15cm x 4.5Meter Item No. 11 Crepe Bandage 10cm x 4.5Meter Item No. 12 Crepe Bandage 7.5cm x 4.5Meter | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 10, 11 & 12. |
| | | Item No. 14 & 15 Paper Adhesive Tape (Medical Use) 1" & 2" to 4.5 meter | Non responsive due to sample rejected by end user. | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. The committee has rechecked the sample & approved it. Hence the committee declared the firm responsive for item No. 14 & 15. |

| Sr No. | Name of Firm | C.S Items # | Decision of TAC | Grievances | Decision |
|--------|--|--|---|--|--|
| 04 | M/S S. Fazal Ilahi & Sons Pvt Ltd, Karachi | Item No. 01 Absorbent Cotton Wool (BPC) 500gm | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 01. |
| 05 | M/S Cotton Craft Pvt Ltd, Lhr | Item No. 01 Absorbent Cotton Wool (BPC) 500gm | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. The committee has rechecked the sample & approved it. Hence the committee declared the firm responsive for item No. 01. |
| | | Item No. 05 Bandages Plaster of Paris 15cm x 2.7Meter | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. The committee sent the sample to concerned end user for re-evaluation. as per re-evaluation report the committee declared the firm responsive for item No. 05. |
| | | Item No. 12 Crepe Bandage 7.5cm x 4.5Meter | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. The committee has rechecked the sample & approved it. Hence the committee declared the firm responsive for item No. 12. |

| Sr No. | Name of Firm | C.S Items # | Decision of TAC | Grievances | Decision |
|--------|----------------------------------|---|---|---|--|
| 06 | M/S SOS Technologies Pvt Ltd, | Item No. 01 Absorbent Cotton Wool (BPC) 500gm | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 01 & 03. |
| | | Item No. 03 Absorbent Gauze (BPC) Cloth | Non responsive due to sample rejected by end user. (Poor Quality) | | |
| 07 | M/S Al Hamd Enterprises, Karachi | Item No. 14 & 15 Paper Adhesive Tape (Medical Use) 1" & 2" to 4.5 meter | Non responsive due to sample rejected by end user. | The firm submitted grievance & requested for re-evaluate the sample. The firm pleaded that other brand approved quoted by M/S Saru Traders, low quality hot Melt Adhesive. | The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 14 & 15. |
| 08 | M/S Zia Enterprises, Lahore | Item No. 09 Cotton Bandage 6.5cm x 6Meter BPC Item No. 11 Crepe Bandage 10cm x 4.5Meter Item No. 16 Sterilized Gauze Pad (Swab) (Pack of 10's) | Non responsive due to sample rejected by end user. (Poor Quality) | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. As per expert opinion of end user the committee rejected the firm presentation & upheld the decision of technical advisory committee for item No. 09, 11 & 16. . |

| Sr No. | Name of Firm | C.S Items # | Decision of TAC | Grievances | Decision |
|--------|-----------------------|---|---|--|---|
| 09 | M/S Saru Traders, Bwp | Item No. 22 Wound Dressing Gynae | Non responsive due to sample rejected by end user. | The firm submitted grievance & requested for re-evaluate the sample. | The Committee securitized the record and discussed the matter in details. The committee sent the sample to concerned end user for re-evaluation. as per re-evaluation report (sample approved it), the committee declared the firm responsive for item No. 22, 23, 24 & 26. |
| | | Item No. 23 Adhesive dressing roll 4” 10cm x 10cm | Non responsive due to sample rejected by end user. (Poor Quality) | | |
| | | Item No. 24 Adhesive wound dressing 10cm x 30cm | Non responsive due to sample rejected by end user. | | |
| | | Item No. 26 Transpore sticking for angio 3M | Non responsive due to sample rejected by end user. (Poor Quality) | | |